

Index

Page numbers appear in bold for pages where the term is defined.

- \in , **12**
- \mathbb{N} , **13**, 171, 227
- \mathbb{N}^+ , **13**
- \mathbb{Z} , **13**, 228
- \mathbb{Q} , **14**, 230
- \mathbb{R} , **14**, 233
- X^+ , **14**
- $\lceil n \rceil$, **14**
- $\{x \in X \mid P(x)\}$, **15**
- (a, b) , **16**
- $[a, b)$, **16**
- $(a, b]$, **16**
- $[a, b]$, **16**
- $(-\infty, b)$, **16**
- $(-\infty, b]$, **16**
- (b, ∞) , **16**
- $[b, \infty)$, **16**
- \subseteq , **19**
- \supseteq , **19**
- \subsetneq , **19**
- \supsetneq , **19**
- \emptyset , **20**
- \cup , **20**
- \cap , **20**
- X^c , **21**
- \setminus , **21**
- $X \times Y$, **22**
- (x, y) , **22**
- $\prod_{i=1}^n X_i$, **23**
- X^n , **23**
- $f : X \rightarrow Y$, **24**
- $f(a)$, **25**
- $\text{graph}(f)$, **25**
- $\text{Dom}(f)$, **26**
- $\text{Ran}(f)$, **27**
- \mapsto , **28**
- $g \circ f$, **29**
- $f : X \mapsto Y$, **32**
- $f[\]$, **33**
- $f^{-1}(\)$, **33**
- $f^{-1}[\]$, **34**
- f^{-1} , **35**
- $f|_W$, **38**
- Tan , **39**
- Arctan , **39**
- $\langle a_n \mid n < N \rangle$, **39**
- $\langle a_n \mid n \in \mathbb{N} \rangle$, **40**
- $\langle a_n \rangle$, **40**
- $\bigcup_{n=1}^{\infty} X_n$, **41**
- $\bigcup_{n \in \mathbb{N}^+} X_n$, **41**
- $\{X_\alpha \mid \alpha \in A\}$, **41**
- $\bigcup_{\alpha \in A} X_\alpha$, **41**
- $\bigcap_{\alpha \in A} X_\alpha$, **42**
- xRy , **51**
- $[x]_R$, **57**
- X/R , **57**
- $[x]$, **57**
- \sim , **57**
- $\equiv \pmod R$, **58**
- \equiv_R , **58**
- X/f , **61**
- Π_f , **61**
- $a \mid b$, **64**
- $x \equiv y \pmod n$, **64**

- \equiv_n , **64**
- \mathbb{Z}_n , **64**
- $\mathbb{Z}/n\mathbb{Z}$, **64**
- $[a]$, **64**
- \wedge , **77**
- \vee , **77**
- \neg , **77**
- \Rightarrow , **77**
- \Leftrightarrow , **84**
- x_i , **84**
- U_i , **84**
- $P(x_1, \dots, x_n)$, **85**
- $P(a_1, \dots, a_n)$, **85**
- χ_P , **86**
- $(\forall x \in X)P(x)$, **87**
- $(\exists x \in X)P(x)$, **87**
- $(\forall x)P(x)$, **88**
- $(\exists x)P(x)$, **88**
- $(\mathcal{Q}x)P(x)$, **89**
- $\mathbb{R}[x]$, **117**
- $\lim_{x \rightarrow a}$, **137**
- ε , **137**
- ε -neighborhood, **138**
- δ , **137**
- $\lim_{X \ni x \rightarrow a}$, **144**
- $\lim_{n \rightarrow \infty}$, **148**
- \preceq , **166**
- \mathbb{N}_0 , **172**
- $P(X)$, **174**
- Y^X , **176**
- \mathbb{K} , **185**
- $a \mid b$, **195**
- $a \nmid b$, **195**
- gcd, **197**
- \mathbb{Z}_n^* , **208**
- \mathcal{D} , **231**
- \mathbb{C} , **265**
- i , **266**
- Cis, **268**
- \Re , **268**
- \Im , **268**
- arg, **268**
- \bar{z} , **268**
- $\mathbb{C}[z]$, **271**
- absolute convergence, **241**
- AGM inequality, **124**
- algebraic numbers, **185**
- analytic function, **282**
- antecedent, **78**
- antisymmetric relation, **52**
- Archimedes, **135**
- argument, **268**
- arithmetic mean, **124, 128**
- arithmetic-geometric mean inequality, **124, 128**
- atomic statement, **79**
- Axiom of Choice, **167, 181, 285, 287**
- Axiom of Extensionality, **285**
- Axiom of Foundation, **285**
- Axiom of Infinity, **225, 285**
- Axiom of Pairing, **285**
- Axiom of Power Set, **285**
- Axiom of Regularity, **285**
- Axiom of Replacement, **285**
- Axiom of Union, **285**
- axiomatic set theory, **161**
- axioms of set theory, **285**
- back-and-forth argument, **252**
- base case, **108**
- biconditional, **84**
- bijection, **32**
- binary sequence, **40**
- binomial coefficient, **130**
- binomial theorem, **130**
- Bolzano-Weierstrass theorem, **237, 244, 275**
- bound variable, **89**
- bounded interval, **16**
- Cantor's diagonal argument, **174, 177, 182**
- Cantor's theorem, **182, 187, 287**
- Cantor, G., **174**
- Cardano, G., **261**
- cardinality, **162**
- finite, **165**
- Carmichael numbers, **213**
- Cartesian product, **22, 23**

- Cauchy sequence, **239**, 240
- Cauchy, A., 124, 135, 152
- characteristic set, **86**
- closed interval, **16**
- closed rectangle, **274**
- codomain, **26**, 31
- coffeehouse, 259
- complement, **21**
- complex number, **265**
 - absolute value, **268**
 - argument, **268**
 - conjugate, **268**
 - imaginary part, **268**
 - real part, **268**
 - root, 269
- composition of functions, **29**
- compound statement, **79**
- conclusion, **78**
- congruence, **64**
- congruence class, **64**
- conjugate, **268**
- conjunction, **77**
- connectives, 86
 - propositional, **77**
- consequence, **78**
- construction, proof by, **98**
- continuity, 153
 - cosine function, 155
 - exponential function, 154
 - sine function, 155
- continuous, **145**, 274
- contradiction, proof by, **96**, 99
- contrapositive, **83**
- contrapositive proof, **95**
- converge, **148**
- convergence
 - absolute, **241**
 - pointwise, **152**
 - uniform, **153**
- converse, **83**
- cosine function, Taylor polynomial, **155**
- countable, **173**, 180
- cubic, 261
 - roots of, 263, 270
 - reduced, **262**, 263
- D'Alembert's lemma, **277**, 280
- De Moivre's theorem, 269, **269**
- de Morgan's laws, **80**
- decidable set, 288
- decimal expansion, 178, **248**
- Dedekind cuts, **231**
 - addition, 232
 - multiplication, 233
- degree 0, **214**
- dense, **251**
- diagonal argument
 - first, **182**
 - second, **177**
- dictionary ordering, **54**
- direct product, **22**, 23
- direct proof, **94**
- disjoint, **21**
- disjunction, **77**
- diverge, **148**, 152
- divides, **64**, **195**
- division algorithm, **203**
 - for polynomials, **215**
- domain, **26**
 - restricted, **38**
- domain of a real function, 28
- domain of a variable, **15**, 16
- element, **12**
- empty function, **25**
- empty set, **20**
- equinumerous, **162**
- equivalence class, **57**
- equivalence mod R , **58**
- equivalence relation, **55**
- Euclidean algorithm, **207**
- existential quantifier, **87**
- existential statement, **98**
- exponential function, **148**, 154
 - Taylor polynomial, **154**
- extension, **251**
- extensionality, **18**, 26
- Extreme Value theorem, **244**, 245, 247, 274
- family of sets, **41**

- Fermat's little theorem, **211**
- Fibonacci numbers, 131
- finite sequence, **39**
- finite set, **162**, 164
- first diagonal argument, 182
- formula, **84**
 - open, **85**
 - Tartaglia-Cardano, **263**, 264, 270, 271, 273
- formulas, 86
- function, **24**, 27
 - bijjective, **32**
 - codomain of, **26**
 - composition of, **29**
 - computable, 188
 - continuous, **145**
 - cosine, **155**
 - divergent sequence, 152
 - domain of, **26**
 - exponential, **148**, 154
 - graph of, **25**
 - Heaviside, 143, 145
 - injective, **30**
 - inverse, **35**
 - one-to-one, **30**
 - onto, **31**
 - polynomial, 123
 - range of, **27**
 - rational, 148
 - real, **27**
 - real-valued, **27**
 - recursive, 188
 - sequence, 151
 - sine, **155**
 - surjective, **31**
- Fundamental Theorem of Algebra, 273, 277, **278**, 280
 - for real polynomials, 219, **281**
- Fundamental Theorem of Arithmetic, **199**
- Gödel, Kurt, 287
- General Comprehension Principle, **43**, 285, 286
- generating function, **159**
- geometric mean, **124**, 128
- graph of a function, **25**
- greatest common divisor, **197**
- greatest lower bound, **234**
- Heaviside function, **143**, 145
- Heaviside, O., 143
- hypothesis, **78**
 - induction, **108**
- ideal of $\mathbb{R}[x]$, **218**
 - principal, **218**
- identity function, **37**
- iff, **84**
- image, **25**
- image of a set, **33**
- imaginary part, **268**
- implication, **77**, 81, 82
- index set, **41**
- indexed intersection, **42**
- indexed union, **41**
- induction
 - hypothesis, **108**
 - mathematical, **105**, 124
 - principle of, 106, 107
 - step, **108**
 - strong, **114**
 - uses of, 197, 199, 206, 215
- inductive set, **225**, 285
- infinite sequence, **40**
- infinite set, **162**, 171
- infinite sum, **151**
- infinite union, **41**
- injection, **30**, 32
- integer combination, **196**
- integer interval, **40**
- integers, **13**, 228, **228**
- Intermediate Value theorem, 145, **243**, 264, 273
- intersection, **20**
 - indexed, **42**
- interval, **15**
 - bounded, **16**
 - closed, **16**
 - in \mathbb{Z} , **40**

- open, **16**
- unbounded, **16**
- inverse function, **35, 60**
- inverse image, **33, 138**
- inverse image of a set, **34**

- Kaldi's, 259

- least upper bound, **234**
- least upper bound principle, **234, 235**
- least upper bound property, 244
- left-hand limit, **144**
- Leibniz, G., 135
- lemma, 118
- level sets, **61**
- limit, **137**
 - left-hand, 144
 - one-sided, 144
 - restricted, **144**
 - right-hand, 144
 - rules for computing, 139
- limit of a sequence, **148**
- limit point, **157**
- linear ordering, **53, 105**
- lower bound, **234**

- map, **28**
- mathematical induction, **105, 124**
- mathematical proof, **73**
- mean
 - arithmetic, **124, 128**
 - geometric, **124, 128**
- Mean Value theorem, **246**
- member, **12**
- modulus, **268**
- modus ponens*, **81**
- multiple quantifiers, **88, 89**

- naive set theory, 161
- natural numbers, **13, 224, 225**
- necessary, **84**
- negation, 91
- negation of quantifiers, **91**
- negations, **77**
- neighborhood, **138**
- Newton, I., 135

- nonnegative, **14**
- numbers
 - natural, **13**
 - rational, **14**
 - real, 14, **233**

- one-to-one, **30**
- onto, **31**
- open formula, **85**
- open interval, **16**
- open variable, **89**
- operation, **28**
- order, **209**
- order of quantifiers, **89**
- order-complete, 224, **251**
- ordered pair, 22
- ordering
 - linear, **53, 105**
 - partial, **53**
 - total, **53**

- pairwise disjoint, **59**
- partial ordering, **53**
- partial sum, **151**
- partition, **59**
- permutation, **33**
- pigeonhole principle, **98**
- pointwise convergence, **152**
- polynomial
 - continuity, 148
 - function, 123
 - real, 117
 - roots of, 117
 - Taylor, 154
- positive, **14**
- power set, **174**
- pre-image, **33**
- pre-image of a set, **34**
- prime number, **196**
- primitive root of unity, 270
- principle of induction, 106, **107**
- proof
 - by construction, **98**
 - by contradiction, **96, 99**
 - by counting, **98**

- contrapositive, **95**
- direct, **94**
- mathematical, **73**
- proper subset, **19**
- propositional
 - connectives, **77**
 - equivalence, **79**
- punctured δ -neighborhood, **138**

- quantified variable, **89**
- quantifier, **86**
 - existential, **87**
 - multiple, **88, 89**
 - negation of, **91**
 - order of, **89**
 - universal, **87**

- range of a function, **27**
- ratio test, **154, 240, 241**
- rational function
 - continuity, **148**
- rational numbers, **14, 185, 229**
- real function, **27**
- real numbers, **14, 223, 233**
 - cardinality of, **248**
- real part, **268**
- real polynomial, **117, 213**
- real-valued function, **27**
- recursive set, **288**
- reflexive relation, **52**
- relation, **51**
 - antisymmetric, **52**
 - equivalence, **55**
 - reflexive, **52**
 - transitive, **53**
- relatively prime, **196**
- remainder, **203**
- remainder class, **64**
- residue class, **64**
- restricted domain, **38**
- restricted limit, **144**
- Riemann sum, **135**
- right-hand limit, **144**
- Rolle's theorem, **247**
- roots of a polynomial, **117**

- Russell's paradox, **42, 43, 285**

- Schema of Foundation, **285**
- Schema of Replacement, **285**
- Schröder-Bernstein theorem, **167, 179**
- sequence, **39, 235**
 - binary, **40**
 - Cauchy, **239, 240, 274**
 - convergent, **148**
 - divergent, **148**
 - finite, **39**
 - infinite, **40**
 - limit, **148**
 - monotonic, **236**
 - nondecreasing, **236**
 - nonincreasing, **236**
 - of functions, **151**
- set, **12**
 - characteristic, **86**
 - countable, **173, 180**
 - decidable, **288**
 - finite, **162, 164**
 - index, **41**
 - infinite, **162, 171**
 - recursive, **288**
 - uncountable, **173**
- set difference, **21**
- sets
 - family of, **41**
- sine function
 - Taylor polynomial, **155**
- statement, **11**
 - atomic, **79**
 - compound, **79**
 - existential, **98**
 - universal, **93**
 - well-formed, **79**
- strong induction, **114**
- subsequence, **235**
- subset, **19**
 - proper, **19**
- successor, **106**
- successor function, **225**
- sufficient, **84**
- sum

- infinite, 151
 - partial, 151
- superset, **19**
- surjection, **31**
- symmetric relation, **52**

- Tartaglia, N., 261
- Tartaglia-Cardano formula, **263**, 264,
270, 271, 273
- Taylor polynomial, 154
- total ordering, **53**
- transcendental numbers, **187**
- transitive relation, **53**
- triangle inequality, **140**, 143, **275**
- truth table, **80**
- truth value, 77

- unbounded interval, **16**
- uncountable, **173**
- uniform convergence, **153**
 - of continuous functions, 153
- union, **20**
 - indexed, **41**
 - infinite, **41**
- universal quantifier, **87**
- universal statement, **93**
- upper bound, **234**

- variable, 84
 - closed, 89
 - open, **89**
 - quantified, 89

- well defined, **66**
- well-formed statement, **79**
- well-ordering, **105**, 287

- Zeno's paradoxes, 135
- Zermelo-Fraenkel axioms, **285**